



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2016 - June 30, 2017

Filing Confirmation Number: 0007853632

Filing Deadline: July 17, 2017

FRN: 0018941682

Filing Date: 07/14/2017 10:13 AM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: HTC America, Inc.
Brand Names: HTC
PO Box:
Street Address: 308 Occidental Ave S, Floor 3
City: Seattle
State: WA
Zip Code: 98104

Contact Name: Venkata Movva
Contact Phone: (913) 991-4956
Contact Fax:
Contact Email: venkata_movva@htc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: <http://www.htc.com/us/accessibility/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: We have done outreach events in Seattle Lighthouse for the blind, Kansas school of deaf and blind and at Alphapointe (KS). We have collected feedback from both hearing and visual impaired end users and are making changes which will help them use our products more easily.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 15

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 15

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	8	100%					8
CDMA	10	100%					10
WCDMA	13	100%					13
LTE	7	100%					7

You have reported the following handset model summary information.
Total number of handsets offered: 15

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
Wi-Fi	6	100%					6

Handset 1: HTC 0PJA200

Handset Maker

HTC

Handset Model Name

0PJA200

FCC ID

NM80PJA200

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 04/15 to 08/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: HTC 0PM3100

Handset Maker

HTC

Handset Model Name

0PM3100

FCC ID

NM80PM3100

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2100 MHz LTE

Dates

This handset model was offered from: 08/15 to 09/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: HTC 0PM9110

Handset Maker

HTC

Handset Model Name

0PM9110

FCC ID

NM80PM9110

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 11/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/26/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/26/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: HTC 0PM9200

Handset Maker

HTC

Handset Model Name

0PM9200

FCC ID

NM80PM9200

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 06/15 to 07/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 5: HTC 0PM9300

Handset Maker

HTC

Handset Model Name

0PM9300

FCC ID

NM80PM9300

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 08/15 to 08/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/10/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/10/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 6: HTC 2PQ9120

Handset Maker

HTC

Handset Model Name

2PQ9120

FCC ID

NM82PQ9120

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 11/15 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 10/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 7: HTC 2PQ9300

Handset Maker

HTC

Handset Model Name

2PQ9300

FCC ID

NM82PQ9300

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 11/15 to 09/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: HTC 2PS6400

Handset Maker

HTC

Handset Model Name

2PS6400

FCC ID

NM82PS6400

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/22/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/22/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

This model is no longer being offered to service providers, but is available from htc.com

Handset 9: HTC 2PS6500

Handset Maker

HTC

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 04/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/31/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

This model is no longer being offered to service providers, but is available from htc.com

Handset 10: HTC 2PST200**Handset Maker**

HTC

Handset Model Name**FCC ID**

2PST200

NM82PST200

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: HTC 2PST300

Handset Maker

HTC

Handset Model Name

2PST300

FCC ID

NM82PST300

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/20/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/20/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: HTC 2PYB200

Handset Maker

HTC

Handset Model Name

2PYB200

FCC ID

NM82PYB200

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz CDMA
850 MHz LTE
1700 MHz LTE
1800 MHz CDMA
1800 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz LTE

Dates

This handset model was offered from: 10/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 10/17/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/17/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: HTC 2PYR200

Handset Maker

HTC

Handset Model Name

2PYR200

FCC ID

NM82PYR200

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 02/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/17/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/17/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: HTC 2PZC500

Handset Maker

HTC

Handset Model Name

2PZC500

FCC ID

NM82PZC500

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz CDMA
1800 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 05/17/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/17/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 15: HTC 2PZF100

Handset Maker

HTC

Handset Model Name

2PZF100

FCC ID

NM82PZF100

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 02/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/03/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

Venkata Sukumar Movva Compliance Officer
07/14/2017 10:13 AM